

TWIN

R2E



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Morgan County are stored on microfilm Reel 7534 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Township N. VI North, Range N. II East 2nd Mer. Surveyed by B. Bentley, 1820.

Description of the soil on the interior sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35.36	Sand & Shelly 3rd. water. Rolling 2nd. water. timber & Sh. etc.	35.36	Sand & Shelly 3rd. water. Beech. Ash &c.	31.32	Sand & Shelly 3rd. water
25.36	Sand & Shelly 2nd. water. Ash. Beech. Sugar. Maple & Spruce	27.34	Same - Low C.	30.31	Sand & Shelly 2nd. water. Beech. Ash. Hickory &c.
25.26	Sand & Shelly 1st. water. timber. Same as the Walnut	27.28	Sand & Shelly 2nd. water. Beech. Ash. Sugar &c.	29.32	Same - Rolling
24.25	Same	22.28	Same	29.31	Sand & Shelly 3rd. water
23.24	Same	21.22	Sand & Shelly 3rd. water	28.29	Same
13.24	Same	15.22	Same	19.20	Same
13.14	Sand & Shelly 2nd. water. timber. Same	15.14	Same	17.20	Same
12.13	Same - low	10.15	Same	18.19	Same
11.12	Same	9.11	Same	17.20	Same
1.13	Same - Rolling	3.10	Same	14.18	Same
1.2	Sand & Shelly 3rd. water	3.4	Same - Rolling 2nd. water. Beech. Ash. Hickory &c.	14.18	Same
34.35	Same	32.33	Same - Shelly 3rd. water	8.17	Same
26.35	Same - 3rd. water	28.33	Same	7.8	Same
26.27	Sand & Shelly 1st. water. Ash. Beech. Sugar. Walnut &c.	28.29	Same	6.7	Sand & Shelly 3rd. water
23.26	Same	21.28	Same	5.8	Same - 3rd. water
22.23	Sand & Shelly 3rd. water	20.21	Sand & Shelly 2nd. water. Beech. Ash. Sugar &c.	4.5	Same
14.23	Same	16.21	Sand & Shelly 3rd. water	3.6	Same
14.15	Same	16.17	Same		
11.14	Same	9.16	Same		
10.11	Same	8.9	Same - Shelly		
2.11	Sand & Shelly 2nd. water. Beech. Ash &c.	4.9	Same		
2.3	Same - Shelly				

Township N. 11 North, Range N. 2 East 2nd Mer.

Range line - Var. 6° 15' E.		North	
North Between Ranges 28 ³ Township 11 North		On the South Side of Sec. 13	
On the South Side of Sec. 36		12.25	A. Ash 25 in. diam.
18.00	A. Beech 25 lbs N.W.	23.00	A. Branch 4 lbs. S.W.
28.00	A. Beech 30 lbs West	40.00	gr. Sec. corner Beech 10 S 45 N 6
30.90	A. Sugar 15 in. diam.		Ash 21 S 87 E 41
40.00	gr. Sec. corner Beech 6 S 48 N 6	58.00	A. Branch 10 lbs S.W.
	do 9 S 30 E 15	58.78	A. Sugar 27 in. diam.
80.00	Set post corner to Sec. 25 S 36	80.00	Set post corner of Sec. 12 S 13
	Sugar 9 S 14 E 10		Beech 9 S 54 E 18
	do 18 S 40 N 20		do 6 S 69 E 7
Broken land, Beech, Sugar, Poplar, Ash, Mug. Spice		Lumber 1 st water, Beech, Ash, Sugar, Elm, Cherry, Spice	
North On the South Side of Sec. 25		East On the South Side of Sec. 12	
33.47	A. Sugar 20 in. diam.	14.49	A. Beech 22 in. diam.
40.00	gr. Sec. corner Beech 10 S 66 N 39	40.00	gr. Sec. corner Beech 20 S 33 E 13
	do 24 S 47 E 3		do 10 S 85 N 30
58.98	A. Hackberry 20 in. diam.	59.00	A. Branch 3 lbs N. E
64.50	A. Beech 50 lbs. S.W.	67.95	A. Beech 24 in. diam.
80.00	Set post corner of Sec. 24 S 25	80.00	Set post corner to Sec. 1 S 12
	Beech 10 S 56 E 16		Beech 4 S 57 E 10
	do 16 S 51 N 9		do 5 S 70 N 10
Good farming land, Beech, Sugar, Ash, Elm, Buckeye, Hackberry, S. Mug. Spice		Lumber local 2 nd water, Beech, Sugar, Ash, Poplar, S. Mug. Spice & Persimmon	
North On the South Side of Sec. 24		North On the South Side of Sec. 1	
21.00	A. Branch 4 lbs S.W.	24.50	A. Beech 30 lbs West
27.50	A. Beech 20 in. diam.	40.00	gr. Sec. corner Oak 5 S 40 N 70
40.00	gr. Sec. corner Beech 18 S 52 E 23		Cherry 6 S 13 E 18
	do 4 S 6 N 22	61.00	A. Beech 50 lbs S.W.
67.00	A. Branch 4 lbs. S.W.	73.58	A. Sugar 21 in. diam.
78.14	A. Beech 25 in. diam.	79.90	Set post corner of S. 4 S 12 N. 2 S 3 E
80.00	Set post corner to Sec. 13 S 24		Sec. 1. 6. 31 S 6 Beech 25 S 26 E 15
	Beech 4 S 66 E 6		do 12 S 28 E 25
	do 18 S 35 N 25	Good farming land, Beech, Poplar, Ash, S. Spice	
Land & timber same as above. Rich		June 29 th 1819	
		Surveyed by John Mc Donald D. S.	

Township lines		West	
On a true line between Townships 10 & 11 N.		On the South Side of Sec. 32	
Range 2 East Sections 1 & 36		30.50	A. Beech 4 lbs S.W.
On South Side of Sec. 36		40.00	gr. Sec. corner Beech 10 S 9 N 13
40.00	gr. Sec. corner Beech 8 S 30 N 6		Beech 6 S 70 N 5
	do 9 S 37 E 16	80.00	Set post corner of Sec. 31 S 32
80.00	Set post corner of Sec. 35 S 36		do Oak 20 S 37 N 5
	do Oak 20 S 51 E 25		do Oak 20 S 37 N 5
	Beech 8 S 30 N 5		do Oak 20 S 37 N 5
Broken land, Beech, Oak, S.			do Oak 20 S 37 N 5
West On the South Side of Sec. 35			do Oak 20 S 37 N 5
16.15	A. Branch 6 lbs North		do Oak 20 S 37 N 5
38.00	A. Beech 6 lbs North		do Oak 20 S 37 N 5
40.00	gr. Sec. corner Beech 18 S 88 E 21		do Oak 20 S 37 N 5
	do 12 S 87 N 22		do Oak 20 S 37 N 5
70.41	A. Beech 7 lbs North		do Oak 20 S 37 N 5
80.00	Set post corner of Sec. 34 S 35		do Oak 20 S 37 N 5
	do Oak 20 S 37 N 5		do Oak 20 S 37 N 5
Broken land, Oak, Beech, S.			do Oak 20 S 37 N 5
West On the South Side of Sec. 34			do Oak 20 S 37 N 5
40.00	gr. Sec. corner Hickory 12 S 7 N 10		do Oak 20 S 37 N 5
	Sugar 18 S 33 E 37		do Oak 20 S 37 N 5
80.00	Set post corner of Sec. 33 S 34		do Oak 20 S 37 N 5
	Ash 12 S 39 N 17		do Oak 20 S 37 N 5
	do Oak 20 S 37 N 5		do Oak 20 S 37 N 5
Broken land, Oak, Beech, S. Mug. Spice			do Oak 20 S 37 N 5
West On the South Side of Sec. 33			do Oak 20 S 37 N 5
40.00	gr. Sec. corner Hickory 20 S 71 E 20		do Oak 20 S 37 N 5
	Beech 8 S 52 E 8		do Oak 20 S 37 N 5
80.00	Set post corner to Sec. 32 S 33		do Oak 20 S 37 N 5
	Sugar 18 S 60 N 18		do Oak 20 S 37 N 5
	Beech 7 S 52 E 23		do Oak 20 S 37 N 5
Broken land, Beech, Sugar, Poplar, S.			do Oak 20 S 37 N 5
Mug. Spice & S.			do Oak 20 S 37 N 5

June 30th 1819
Surveyed by John Mc Donald

Subdivisions of Town 11 N. Range 2 East		
North	Between Sec. 35 & 36	West Corrected Between Sec. 24 & 25
13.17	A. Beech 18 in. diam.	40.00 gr. Sec. corner Water Beech 6 S 40 N 26
40.00	gr. Sec. corner Beech 20 N 62 E 28	Beech 20 N 44 E 26
	do 4 S 18 E 14	Section corner
50.35	A. Beech 24 in. diam.	North Between Sec. 23 & 24
80.00	Set post corner to Sec. 25, 26, 35, 36	7.80 A. Beech 24 in. diam.
	N. Oak 6 S 1 N 27	40.00 gr. Sec. corner Water Beech 7 S 22 E 6
	Sugar 6 S 83 E 8	Beech 12 N 14 E 25
	First 1/2 mile Hilly 3 rd rate. East & Rolling 2 nd rate	61.83 A. Beech 18 in. diam.
	Timber post fallen & post Sugar Beech. Aug. 8 th 1820	80.00 Set post corner to Sec. 13, 14, 23, 24
East	Between Sec. 25 & 36 On Random	Sugar 6 S 52 N 5
35.50	A. Beech 12 lbs St. W	Beech 11 N 13 E 28
39.12	A. Spring Branch 4 lbs St. E	Timber level 1 st rate. Beech. Sugar. Ash. B. Walnut
40.00	Temporary gr. Sec. post	East Between Sec. 13 & 24 On Random
48.44	Intersected E. Boundary 19 lbs St. of Post	40.00 Temporary gr. Sec. post
	Timber Hilly 2 nd rate. Ash. Beech. Sugar. Aug. 8 th 1820	80.20 Intersected E. Boundary 1.59 lbs St. of Post
West	Corrected	Post 1 st rate & post 2 nd rate same. Ash. Beech. R.
39.22	gr. Sec. corner Water Beech 6 N 35 N 28	Sugar. Walnut. Aug. 8 th 1820
	Chin 40 S 45 N 30	West Corrected
48.44	Section corner	40.10 gr. Sec. corner Beech 10 S 88 E 22
North	Between Sec. 25 & 26	do 15 N 64 N 18
11.48	A. Sugar 10 in. diam.	80.20 Section corner
13.30	A. Branch 5 lbs St. W	North Between Sec. 13 & 14
24.00	A. Beech 25 lbs West	20.11 A. Beech 2 in. diam.
40.00	gr. Sec. corner Beech 12 N 33 E 15	40.00 gr. Sec. corner Beech 20 N 48 E 42
	do 7 S 5 N 20	do 30 S 89 N 34
80.00	Set post corner to Sec. 23, 24, 25, 26	56.70 A. Beech 15 in. diam.
	Ash 12 S 51 N 4	80.00 Set post corner to Sec. 11, 12, 13, 14
	Water Beech 5 S 43 E 4	Beech 14 S 30 E 23
	Timber level 1 st rate. A. Beech. Walnut. Ash	do 18 N 38 E 24
	Sugar. Aug. 8 th 1820	Timber level 2 nd rate. Beech. Ash. Aug. 8 th 1820
East	Between Sec. 24 & 25 On Random	East Between Sec. 12 & 13 On Random Aug. 8 th 1820
40.00	Temporary gr. Sec. post	40.00 Temporary gr. Sec. post
80.12	Intersected E. Boundary 1.5 lbs St. of post	80.50 Intersected E. Boundary 300 lbs St. of post
	Timber & Timber Same	Timber level 2 nd rate. Timber Same

West	Corrected Between Sec. 12 & 13	49.45 A. Branch 8 lbs West
40.25	gr. Sec. corner Beech 10 S 47 E 10	75.57 A. Beech 30 in. diam.
	do 12 S 86 N 25	80.00 Set post corner to Sec. 26, 27, 34, 35
80.50	Section corner	Beech 18 S 4 E 15
North	Between Sec. 11 & 12	do 10 N 66 N 23
18.10	A. Beech 30 in. diam.	Timber Hilly 3 rd rate. Beech. N. Oak. Aug. 8 th 1820
40.00	gr. Sec. corner Beech 10 S 22 E 17	East Between Sec. 26 & 35 On Random
	do 12 N 39 N 14	3.15 A. Branch 4 lbs North
52.60	A. Beech 18 in. diam.	40.00 Temporary gr. Sec. post
80.00	Set post corner to Sec. 1, 2, 11, 12	77.70 Intersected E. Boundary 80 lbs St. of post
	Beech 15 N 71 E 28	Timber Hilly 2 nd rate. Beech. Sugar. Aug. 8 th 1820
	do 8 S 80 N 13	West Corrected
	Timber level 2 nd rate. Ash. Beech. Aug. 8 th 1820	38.85 gr. Sec. corner Beech 15 S 51 N 31
East	Between Sec. 1 & 12 On Random	do 24 N 74 N 37
40.00	Temporary gr. Sec. post	47.70 Section corner
81.86	Intersected E. Boundary 2.40 lbs St. of Post	North Between Sec. 26 & 27
	Timber Rolling. Timber Same	12.70 A. Beech 20 in. diam.
West	Corrected	40.00 gr. Sec. corner Beech 10 S 72 E 15
40.93	gr. Sec. corner Beech 18 S 80 E 11	do 18 N 60 N 20
	do 24 S 86 N 36	42.50 A. Beech 25 lbs St. W
81.86	Section corner	70.50 Ash Chin 30 in. diam.
North	Between Sec. 1 & 2	80.00 Set post corner to Sec. 22, 23, 26, 27
6.16	A. Beech 18 in. diam.	Ash 30 N 87 E 15
40.00	gr. Sec. corner Cherry 6 S 81 E 17	N. Oak 18 N 65 N 19
	Beech 10 S 54 N 33	Timber level 1 st rate. Ash. Beech. Ash. Walnut
65.85	A. Ash 18 in. diam.	Blackberry. Aug. 8 th 1820
74.16	Intersected N. Boundary 12.95 lbs St. of Post	East Between Sec. 23 & 26 On Random
	Beech 18 N 43 N 25	40.00 Temporary gr. Sec. post
	do 24 S 49 E 26	77.40 Intersected Boundary 2.07 lbs St. of post
	Timber Hilly 3 rd rate. Beech. N. Oak. 1 st rate	Timber & Timber Same
	Aug. 8 th 1820	West Corrected
North	Between Sec. 24 & 35	38.70 gr. Sec. corner Blue. Ash 15 N 37 E 6
9.25	A. Oak 30 in. diam.	do 10 S 63 N 37
40.00	gr. Sec. corner Sugar 18 S 70 E 4	77.40 Section corner
	Beech 6 S 57 N 25	

North Between Sec^s 22 & 23
 22.32 A. Beech 12 in. diam.
 40.00 gr. Sec. corner Beech 30 S 58 E 27
 Poplar 40 S 58 W 35
 67.50 A. Beech 10 in. diam.
 80.00 Set post corner of Sec^s 14, 15, 22, 23
 Beech 18 S 89 E 26
 do 20 S 27 —
 Sunk Willy 1st rate. Post 3rd rate
 East Between Sec^s 14 & 23 On Random
 40.00 Temporary gr. Sec. post
 77.75 Intersected Boundary 200 lbs South of post
 Sunk Willy 3rd rate. Ash. Beech. W. Oak. Poplar. Sugar. Spice
 West Corrected Aug. 7th 1820
 38.87 gr. Sec. corner Beech 15 S 55 E 23
 do 12 S 48 W 12
 77.75 Section corner
 North Between Sec^s 14 & 15
 10.70 A. Beech 24 in. diam.
 40.00 gr. Sec. corner Beech 30 S 56 W 24
 Sugar 6 S 17 E 23
 45.70 A. Beech 13 in. diam.
 80.00 Set post corner to Sec^s 10, 11, 14, 15
 Spruce 15 S 83 E 12
 Ash 10 S 40 W 22
 Sunk Timber Same
 East Between Sec^s 11 & 14 On Random
 40.00 Temporary gr. Sec. post
 77.76 Intersected Boundary 1.80 lbs S. of post
 Sunk Willy 3rd rate. Beech. Ash. Sugar. Spice
 West Corrected
 38.88 gr. Sec. corner Beech 12 S 46 E 28
 Oak 24 S 3 W 33
 77.76 Section corner

North Between Sec^s 10 & 11
 27.08 A. Hickory 15 in. diam.
 40.00 gr. Sec. corner Beech 10 S 25 E 16
 Hickory 26 S 83 W 6
 62.60 A. Beech 24 in. diam.
 80.00 Set post corner to Sec^s 2, 3, 10, 11
 Beech 6 S 63 E 18
 do 20 S 41 W 36
 Sunk Willy 3rd rate. Ash. Beech. W. Oak. Poplar. Sugar. Spice
 East Between Sec^s 2 & 11 On Random
 40.00 Temporary gr. Sec. post
 77.67 Intersected Boundary 60 lbs North of post
 Sunk Willy 3rd rate. Beech. Ash. Sugar. Spice
 West Corrected
 38.83 gr. Sec. corner Beech 4 S 51 E 7
 do 12 S 87 W 27
 77.67 Section corner
 North Between Sec^s 2 & 3
 11.92 Ash 32 in. diam.
 40.00 gr. Sec. corner Sugar 12 S 55 E 27
 do 10 S 34 W 12
 60.70 A. Beech 24 in. diam.
 76.75 Intersected N. Boundary 2.55 lbs W. of post
 Beech 24 S 56 W 5
 do 18 S 81 E 20
 Aug 10, 1820
 Sunk Willy. Beech. Ash. W. Oak. Sugar. Spice
 North Between Sec^s 33 & 34
 15.93 A. B. Oak 20 in. diam.
 40.00 gr. Sec. corner Beech 18 S 67 E 39
 Poplar 18 S 37 W 25
 60.32 A. Beech 24 in. diam.
 80.00 Set post corner to Sec^s 27, 28, 33, 34
 Beech 12 S 68 W 21
 Hickory 14 S 20 W 13
 Sunk Timber Same 3rd rate

East Between Sec^s 27 & 34 On Random
 38.60 A. Branch 10 lbs S. W
 40.00 Temporary gr. Sec. post
 78.20 Intersected Boundary 1.68 lbs S. of post
 Sunk Willy 3rd rate. Beech. Oak. Poplar. Sugar. Spice
 West Corrected
 39.10 gr. Sec. corner Beech 6 S 50 W 21
 do 6 S 51 W 24
 78.20 Section corner
 North Between Sec^s 27 & 28
 6.33 A. Beech 20 in. diam.
 31.00 A. Beech 12 lbs S. W
 40.00 gr. Sec. corner Beech 30 S 20 W 7
 do 20 S 75 E 26
 65.90 A. W. Oak 24 in. diam.
 80.00 Set post corner to Sec^s 21, 22, 27, 28
 Beech 36 S 30 E 10
 do 10 S 16 E 30
 Sunk Willy 3rd rate. Beech. Poplar. Sugar. Spice
 East Between Sec^s 22 & 27 On Random
 40.00 Temporary gr. Sec. post
 77.25 Intersected Boundary 75 lbs South of post
 Sunk Timber Same Aug. 11th 1820
 West Corrected
 39.62 gr. Sec. corner Beech 6 S 22 E 20
 do 10 S 12 W 31
 77.25 Section corner
 North Between Sec^s 21 & 22
 12.60 A. Beech 12 in. diam.
 40.00 gr. Sec. corner Beech 10 S 80 W 19
 do 10 S 3 E 24
 50.34 A. Beech 18 in. diam.
 80.00 Set post corner to Sec^s 15, 16, 21, 22
 Sugar 10 S 46 E 22
 Beech 4 S 37 W 17
 Sunk Willy 3rd rate. Ash. Beech. Poplar. Sugar. Spice

East Between Sec^s 15 & 22 On Random
 40.00 Temporary gr. Sec. post
 78.00 Intersected boundary 14 lbs South of post
 Sunk Willy 3rd rate. Beech. W. Oak. Sugar. Spice
 West Corrected
 39.00 Set gr. Sec. corner Sugar 6 S 51 E 16
 Beech 18 S 7 W 14
 78.00 Section corner
 North Between Sec^s 15 & 16
 15.35 A. Beech 24 in. diam.
 40.00 gr. Sec. corner Beech 22 S 87 E 21
 do 36 S 79 W 22
 73.75 A. Poplar 48 in. diam.
 80.00 Set post corner of Sec^s 9, 10, 15, 16
 Beech 24 S 51 E 22
 do 6 S W 12
 Sunk Timber Same
 East Between Sec^s 10 & 15 On Random
 40.00 Temporary gr. Sec. post
 77.80 Intersected Boundary at post
 Sunk Willy 3rd rate. W. Oak. Beech. Sugar. Spice
 West Corrected
 38.90 gr. Sec. corner Beech 24 S 75 E 10
 do 24 S 85 W 14
 77.80 Section corner
 North Between Sec^s 9 & 10
 17.54 Ash 30 in. diam.
 40.00 gr. Sec. corner Beech 6 S 78 E 15
 do 10 S 50 W 23
 60.81 A. Sugar 24 in. diam.
 80.00 Set post corner to Sec^s 3, 4, 9, 10
 Beech 20 S 40 E 23
 Sugar 5 S 48 W 16
 Sunk Timber Same

North Between Sec. 9 & 10
 17.54 An Ash 30 in. diam.
 40.00 gr. Sec. corner Beech 6 S 78 E 15
 do 10 S 50 W 23
 60.81 A. Sugar 24 in. diam.
 80.00 Set post corner of Sec. 3, 4, 9, 10
 Beech 20 S 70 E 23
 Sugar 5 S 48 W 16
 Sand & Mill 3rd rate. Beech. Hickory & Sugar
 North Between Sec. 3 & 4
 20.21 A. Beech 20 in. diam.
 40.00 gr. Sec. corner Beech 20 S 38 W 11
 do 5 S 33 E 15
 54.50 A. Beech 24 in. diam.
 72.53 Intersected Boundary 1.18 lks N. of post
 Beech 30 S 32 W 40
 Sugar 4 S 9 E 20
 Sand & Timber Same Aug. 12th 1820
 North Between Sec. 32 & 33
 17.80 A. Sugar 18 in. diam.
 35.50 A. Stream 6 lks East
 40.00 gr. Sec. corner Sugar 24 S 30 E 9
 Sugar 20 S 50 W 30
 69.00 A. Sugar 24 in. diam.
 80.00 Set post corner to Sec. 28, 29, 32, 33
 Sugar 24 S 73 W 37
 Beech 24 S 23 E 49
 Sand & Mill 3rd rate. Beech. W. Oak. Hickory & Sugar
 East Between Sec. 28 & 33 On Random
 20.00 A. Stream 15 lks N. W
 40.00 Temporary gr. Sec. post
 78.77 Intersected Boundary 50 lks N. of post
 Sand level 3rd rate. Beech. W. Oak.
 Along the Water Beech & Sugar

West Corrected Between Sec. 28 & 33
 39.38 gr. Sec. corner Beech 18 S 67 E 23
 do 12 S 66 W 20
 78.77 Section corner
 North Between Sec. 28 & 29
 9.50 A. Beech 20 lks N. W
 20.50 Same Beech 20 lks N. E
 25.00 Same Same 20 lks N. W
 26.00 A. Beech 18 in. diam.
 40.00 gr. Sec. corner Beech 12 S 65 W 11
 do 15 S 28 E 28
 69.45 An Ash 20 in. diam.
 80.00 Set post corner to Sec. 20, 21, 28, 29
 Beech 10 S 52 E 23
 do 8 S 57 W 13
 Sand level 3rd rate.
 East Between Sec. 21 & 28 On Random
 40.00 Temporary gr. Sec. post
 78.82 Intersected Boundary 1.19 lks North of post
 Sand & Mill 3rd rate. Ash. Beech. Oak. Hickory & Sugar
 West Corrected
 39.41 gr. Sec. corner Beech 20 S 50 E 10
 do 30 S 55 W 13
 78.82 Section corner
 North Between Sec. 20 & 21
 14.70 A. Beech 12 in. diam.
 40.00 gr. Sec. corner Beech 10 S 75 E 11
 do 11 S 34 W 37
 57.90 A. Beech 20 in. diam.
 80.00 Set post corner to Sec. 16, 17, 20, 21
 Beech 26 S 63 E 18
 do 18 S 80 W 23
 Sand level 3rd rate. Ash. Beech & Sugar
 Along the Sugar

East Between Sec. 16 & 21 On Random
 40.00 Temporary gr. Sec. post
 78.50 Intersected Boundary 8 lks South of post
 Sand level 3rd rate. Beech. Poplar. Sugar & Sugar
 Along the Sugar Aug. 14th 1820
 West Corrected
 39.25 gr. Sec. corner Beech 18 S 42 W 38
 Buckeye 10 S 13 W 22
 78.50 Section corner
 North Between Sec. 16 & 17
 36.57 A. Poplar 4 in. diam.
 40.00 gr. Sec. corner Beech 24 S 30 E 11
 do 4 S 75 W 15
 74.12 A. Beech 20 in. diam.
 80.00 Set post corner of Sec. 8, 9, 16, 17
 Hickory 12 S 72 W 26
 Beech 6 S 70 E 14
 Sand & Timber Same
 East Between Sec. 9 & 16 On Random
 40.00 Temporary gr. Sec. post
 77.70 Intersected Boundary 95 lks South of post
 Sand & Mill 3rd rate. Beech & Hickory. Sugar & Sugar
 West Corrected
 38.85 gr. Sec. corner Beech 18 S 42 W 10
 do 6 S 61 E 28
 77.70 Section corner
 North Between Sec. 8 & 9
 34.83 A. Beech 12 in. diam.
 40.00 gr. Sec. corner Sugar 6 S 28 E 14
 Beech 4 S 22 W 31
 50.80 A. Beech 20 in. diam.
 80.00 Set post corner to Sec. 4, 5, 8, 9
 Ash 12 S 63 E 16
 Beech 10 S 76 W 21
 Nothing Same?

East Between Sec. 4 & 9 On Random
 40.00 Temporary gr. Sec. post
 78.38 Intersected Boundary 1.30 lks South of post
 Sand & Mill 3rd rate. Beech. Oak. W. Oak. Sugar & Sugar
 West Corrected
 39.19 gr. Sec. corner Beech 8 S 41 W 4
 Sugar 20 S 50 E 24
 78.38 Section corner Aug. 15th 1820
 East Between Sec. 3 & 10 On Random
 40.00 Temporary gr. Sec. post
 78.16 Intersected Boundary 89 lks South of post
 Sand & Mill 3rd rate. Beech. Oak. Hickory & Sugar
 West Corrected
 39.08 gr. Sec. corner W. Oak 24 South of
 Beech 20 S 77 E 15
 78.16 Section corner
 North Between Sec. 31 & 32
 9.25 A. Spring
 29.52 A. Poplar 39 in. diam.
 40.00 gr. Sec. corner Sugar 4 S 65 E 6
 do 4 S 10 E 15
 61.90 A. Beech 20 in. diam.
 68.00 A. Branch 3 lks N. W
 80.00 Set post corner to Sec. 29, 30, 31, 32
 Hickory 15 S 75 W 35
 Water. Ash 24 S 25 W 20
 Sand & Mill 3rd rate. Ash. Beech. Hickory. Oak & Sugar
 West Between Sec. 30 & 31
 29.95 A. Hickory 15 in. diam.
 40.00 gr. Sec. corner Beech 30 S 50 W 26
 Sugar 18 S 70 E 19
 47.38 An Elm 24 in. diam.
 72.72 Intersected N. Boundary 27 lks N. of post
 Sugar 18 West 19
 Bush
 Water. Ash 5 S 48 E 17
 Sand level Same timber

East	Between Secs 29 & 32 On Randon	North	Between Secs 19 & 20
15.50	A. Spring Branch 4 lks North	19.90	Am. Ash 24 in. diam.
38.20	Same Same 4 lks North	40.00	gr. Sec. corner N. Oak 48 S 41 E 8
40.00	Temporary gr. Sec. post		Beech 10 S 44 W 31
79.25	Intersected Boundary 3.50 lks S. of post	62.87	A. W. Oak 18 in. diam.
	Land Rolling V. rate Beech Sugar Oak V.	80.00	Set post corner to Secs 17, 18, 19, 20
West	Corrected		Logwood 7 S 52 W 6
39.62	Set gr. Sec. corner Hickory 10 S 45 W 22		Beech 8 S 25 E 26
	Beech 20 S 65 E 32		Land Hilly V. rate N. Oak Beech 60 S 10 W 10
79.25	Section corner	West	Between Secs 18 & 19
North	Between Secs 29 & 30	18.12	A. W. Oak 30 in. diam.
17.40	A. Beech 20 lks S. W	40.00	gr. Sec. corner Beech 6 S 41 E 12
23.45	A. Beech 18 in. diam.		do 10 S 40 W 36
40.00	gr. Sec. corner Beech 24 S 63 E 7	55.10	Am. Elm 20 in. diam.
	do 10 S 37 W 13	56.00	A. Spring
61.75	A. Beech 24 in. diam.	71.88	Intersected N. Boundary 7.5 lks S. of post
80.00	Set post corner to Secs 19, 20, 29, 30		Beech 7 S 57 W 15
	Beech 6 S 37 W 24		do 12 S 53 E 25
	do 24 S 20 W 25		Land & Timber Same
	Land Hilly V. rate Ash Hickory Oak Aug. 17, 1820	East	Between Secs 17 & 20 On Randon
East	Between Secs 20 & 29 On Randon	40.00	Temporary gr. Sec. post
40.00	Temporary gr. Sec. post	79.50	Intersected Boundary 5.35 lks S. of post
79.30	Intersected Boundary 3.75 lks S. of post		Land & Timber Same
	Part Hilly V. rate Oak V. rate, Oak Beech Oak V.	West	Corrected
West	Corrected	39.75	gr. Sec. corner Ironwood 6 S 10 W 25
39.65	gr. Sec. corner Maple 20 S 55 E 11		N. Oak 36 S 10 E 15
	Oak 10 S 10 W 15	79.50	Section corner
79.30	Section corner	North	Between Secs 17 & 18
West	Between Secs 19 & 30	24.16	A. Beech 12 in. diam.
17.50	A. Sugar 15 in. diam.	40.00	gr. Sec. corner Hickory 15 S 52 E 15
40.00	gr. Sec. corner Beech 6 S 55 E 8		Beech 5 S 38 W 10
	do 20 S 64 W 27	55.20	A. Beech 36 in. diam.
55.16	A. Swamp Ash 24 in. diam.	80.00	Set post corner to Secs 7, 8, 17, 18
72.32	Intersected West Boundary 20.5 lks N. of post		Beech 10 S 43 E 19
	Beech 36 S 37 E 8		do 10 S 3 W 13
	do 28 S 48 W 32		Land & Timber Same
	Hilly V. rate Oak Hickory Oak V.		

West	Between Secs 7 & 18	74.50	Intersected N. Boundary 2.2 lks N. of post
26.00	A. Walnut 10 in. diam.		Beech 10 S 2 W 17
40.00	gr. Sec. corner Beech 30 S 39 W 5		do 8 S 4 E 23
	do 6 S 39 E 12		Land Hilly V. rate Beech Sugar Poplar
44.75	A. Spring Branch 3 lks S. E	East	Between Secs 5 & 8 On Randon
53.78	A. Beech 18 in. diam.	40.00	Temporary gr. Sec. post
70.71	Intersected N. Boundary 1.53 lks N. of post	78.80	Intersected Boundary 5.78 lks South of post
	Beech 6 S 13 W 13		Land & Timber Same V. rate
	do 20 S 37 E 39	West	Corrected
	Land post Hilly V. rate level 3rd rate Beech	39.40	gr. Sec. corner Beech 8 S 10 W 26
	Ash Oak V. rate Hickory		do 7 South 33 N. 8
East	Between Secs 8 & 17 On Randon	78.80	Section corner
40.00	Temporary gr. Sec. post	North	Between Secs 4 & 5
79.54	Intersected Boundary 5.04 lks South of post	24.15	A. Sugar 18 in. diam.
	Land Hilly V. rate Beech Oak V. rate Hickory	40.00	gr. Sec. corner Beech 4 S 38 E 15
West	Corrected		do 7 S 75 W 33
39.77	gr. Sec. corner Hickory 6 S 24 W 10	64.22	A. Poplar 60 in. diam.
	N. Oak 26 S 28 E 48	72.90	Intersected N. Boundary 7.7 lks N. of post
79.54	Section corner Aug 17, 1820		Ironwood 4 S 53 E 14
North	Between Secs 7 & 8		Beech 12 S 65 W 13
30.15	A. Beech 10 in. diam.		Land & Timber Same
40.00	gr. Sec. corner Ironwood 6 S 19 W 8	North	Between Secs 5 & 6
	Hickory 6 S 20 W 15	19.50	A. Beech 30 in. diam.
62.28	A. Beech 12 in. diam.	40.00	gr. Sec. corner Beech 10 S 44 E 21
80.00	Set post corner to Secs 5, 6, 7, 8		Oak Elm 5 S 65 W 22
	Poplar 10 S 56 E 15	62.50	A. Poplar 60 in. diam.
	do 6 S 62 W 10	78.04	Intersected N. Boundary 50 lks N. of post
	Land & Timber Same		Beech 12 S 25 E 12
West	Between Secs 6 & 7		Iron. Oak 15 S 19 E 30
23.70	A. Sugar 10 in. diam.		Land level V. rate Oak Beech Poplar
24.33	A. Stream 8 lks N. W		Aug. 18, 1820
40.00	gr. Sec. corner Beech 6 S 37 W 18		B. Bartley D. S.
	Sugar 7 S 78 E 24		
62.96	A. Sugar 15 in. diam.		